



Safety Data Sheet

5050 BLACK

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name	5050 BLACK
Trade Name	5050 BLACK
Product code	5050 BLACK
CAS No.	None assigned
EC No.	None assigned
REACH Registration No.	None assigned

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s)	Industrial use only. Adhesive Applications.
Uses Advised Against	Not known.

1.3 Details of the supplier of the safety data sheet

Manufacturer	
Company Identification	Excel Adhesives
Address of Manufacturer	18 Low Farm Place, Moulton Park, Northampton, NN3 6HY

Postal code	
Telephone:	+44 (0) 1604 648484
Fax	
E-mail	excel@stickytraders.co.uk
Office hours	

Supplier	
Company Identification	Not known.
Address of Supplier	Not known.
Postal code	Not known.
Telephone:	Not known.
Fax	Not known.
E-mail	Not known.
Office hours	

1.4 Emergency telephone number

Emergency Phone No.	+44 (0) 1604 648484
Contact	Steve Allebone

National response center

Address	National Poisons Information Service (Birmingham Centre) City Hospital Dudley Road, Birmingham, United Kingdom
Emergency Phone No.	+00 448 706 006 266 or NHS - 111

2. SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Safety Data Sheet

5050 BLACK

2.1.1 Regulation (EC) No. 1272/2008 (CLP) Eye Irrit. 2 : Causes serious eye irritation.
 Flam. Liq. 2 : Highly flammable liquid and vapour.
 STOT SE 3 : May cause drowsiness or dizziness.

2.2 Label elements According to Regulation (EC) No. 1272/2008 (CLP)
 Product Name 5050 BLACK

Hazard Pictogram(s)



GHS02

GHS07

Signal Word(s) Danger

Hazard Statement(s) H225: Highly flammable liquid and vapour.
 H319: Causes serious eye irritation.
 H336: May cause drowsiness or dizziness.

Precautionary Statement(s) P233: Keep container tightly closed.
 P242: Use only non-sparking tools.
 P243: Take precautionary measures against static discharge.
 P261: Avoid breathing dust/fume/gas/mist/vapours/spray.
 P264: Wash hands and exposed skin thoroughly after handling.
 P271: Use only outdoors or in a well-ventilated area.
 P280: Wear protective gloves/protective clothing/eye protection/face protection.
 P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
 P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P308+P313: IF exposed or concerned: Get medical advice/attention.
 P312: Call a POISON CENTER/doctor if you feel unwell.
 P337+P313: If eye irritation persists: Get medical advice/attention.
 P403+P233: Store in a well-ventilated place. Keep container tightly closed.
 P405: Store locked up.
 P501: Dispose of contents in accordance with local, state or national legislation.

2.3 Other hazards Not known.

2.4 Additional Information For full text of H/P Statements see section 16.

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENT(S)	CAS No.	EC No. REACH Registration No.	%W/W	Hazard Statement(s)	Hazard Pictogram(s)
butanone ethyl methyl ketone	78-93-3	201-159-0	20-50	Flam. Liq. 2 H225 Eye Irrit. 2 H319 STOT SE 3 H336	GHS02 GHS07
acetone propan-2-one propanone	67-64-1	200-662-2	30-50	Flam. Liq. 2 H225 Eye Irrit. 2 H319 STOT SE 3 H336	GHS02 GHS07
ethyl acetate	141-78-6	205-500-4	1-10	Flam. Liq. 2 H225 Eye Irrit. 2 H319 STOT SE 3 H336	GHS02 GHS07

Safety Data Sheet

5050 BLACK

4. SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

Inhalation	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
Skin Contact	Wash skin with water.
Eye Contact	
Ingestion	Wash out mouth with water.
4.2 Most important symptoms and effects, both acute and delayed	May cause irritation.
4.3 Indication of any immediate medical attention and special treatment needed	Treat symptomatically.

5. SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable Extinguishing media	As appropriate for surrounding fire.
Unsuitable extinguishing media	Water jet spray
5.2 Special hazards arising from the substance or mixture	May decompose in a fire, giving off toxic and irritant vapours.
5.3 Advice for fire-fighters	Fire fighters should wear complete protective clothing including self-contained breathing apparatus. If it is safe to do so, containers should be removed from fire area because they are likely to rupture under fire conditions.

6. SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures	Provide adequate ventilation. Use non-sparking ventilation systems, approved explosion-proof equipment, and intrinsically safe electrical systems. Ensure full personal protection (including respiratory protection) during removal of spillages.
6.2 Environmental precautions	Spillages or uncontrolled discharges into watercourses must be alerted to the appropriate regulatory body.
6.3 Methods and material for containment and cleaning up	Sweep up spilled substance and remove to safe place. Use vacuum equipment for collecting spilt materials, where practicable. Containers must not be punctured or destroyed by burning, even when empty.
6.4 Reference to other sections	See Also Section 8, 13.

7. SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wear protective gloves/protective clothing/eye protection/face protection. Wash hands and exposed skin thoroughly after handling. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing dust/fume/gas/mist/vapours/spray. Use only outdoors or in a well-ventilated area.
7.2 Conditions for safe storage, including any incompatibilities	Store in a well-ventilated place. Keep cool. Store locked up. Keep container tightly closed.

Safety Data Sheet
5050 BLACK

Storage temperature Ambient.
 Storage life Stable under normal conditions.
 Incompatible materials None known.
 7.3 Specific end use(s) Industrial use only. Adhesive Applications.

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1.1 Occupational Exposure Limits

Occupational Exposure Limits						
SUBSTANCE.	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m ³)	STEL (ppm)	STEL (mg/m ³)	Note
Butan-2-one (methyl ethyl ketone)	78-93-3	200	600	300	899	Sk, BMGV
Butanone	78-93-3	200	600	300	900	IOELV
Acetone	67-64-1	500	1210	1500	3620	
Acetone	67-64-1	500	1210			IOELV
Ethyl Acetate	141-78-6	200		400		

Remark	Footnote
Sk	Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.
BMGV	Biological monitoring guidance values are listed.
IOELV	IOELV: Indicative Occupational Exposure Limit Value
IOELV	IOELV: Indicative Occupational Exposure Limit Value
Sk	Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.
IOELV	IOELV: Indicative Occupational Exposure Limit Value
Skin	The possibility of significant uptake through the skin.

8.2.1. Appropriate engineering controls Use non-sparking ventilation systems, approved explosion-proof equipment, and intrinsically safe electrical systems. Use with ventilation, local exhaust ventilation or breathing protection. A washing facility/water for eye and skin cleaning purposes should be present.

8.2.2. Personal protection equipment



Eye Protection

Wear eye protection with side protection (EN166).



Skin protection

Wear protective clothing and gloves: Impervious gloves (EN 374).



Respiratory protection

A suitable mask with filter type A (EN14387 or EN405) may be appropriate.

Thermal hazards None known.

8.2.3. Environmental Exposure Controls Spillages or uncontrolled discharges into watercourses must be alerted to the appropriate regulatory body.

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Safety Data Sheet
5050 BLACK

Appearance	Liquid.
Colour	Black
Odour	Characteristic.
Odour threshold	Not known.
pH	Not known.
Melting point/freezing point	Not known.
Boiling point/boiling range (°C):	55°C
Point	Not known.
Flash Point Range	-16°C
Density (g/ml)	Not known.
Evaporation rate	Not known.
Flammability	Not known.
Vapour density	Not known.
Vapour pressure	Not known.
Relative density	Not known.
Solubility (Water)	Slightly miscible in Water
Solubility (Other)	Not known.
Partition coefficient: n-octanol/water	Not known.
Auto-ignition temperature	Not known.
Decomposition Temperature (°C)	Not known.
Viscosity	Not known.
Upper/lower flammability or explosive limits	Not known.
Other information	Not known.

10. SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity	None anticipated.
10.2 Chemical Stability	Stable under normal conditions.
10.3 Possibility of hazardous reactions	No hazardous reactions known if used for its intended purpose.
10.4 Conditions to avoid	Avoid friction, sparks, or other means of ignition.
10.5 Incompatible materials	Not known.
10.6 Hazardous decomposition product(s)	None known.

11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity - Ingestion	Not classified.
Acute toxicity - Skin Contact	Not classified.
Acute toxicity - Inhalation	Not classified.
Skin corrosion/irritation	Not classified.
Serious eye damage/irritation	Calculation method: Causes serious eye irritation.
Skin sensitization data	Not classified.
Respiratory sensitization data	Not classified.
Germ cell mutagenicity	Not classified.
Carcinogenicity	Not classified.

Safety Data Sheet
5050 BLACK

Reproductive toxicity	Not Classified.
Lactation	Not classified.
STOT - single exposure	Calculation method: May cause drowsiness or dizziness.
STOT - repeated exposure	Not classified.
Aspiration hazard	Not classified.
11.2 Other information	Not known.

12. SECTION 12: ECOLOGICAL INFORMATION

12.1.1 Toxicity - Aquatic invertebrates:	Not classified
12.1.2 Toxicity - Fish	Low toxicity to fish.
12.1.3 Toxicity - Algae	Low toxicity to algae.
12.1.4 Toxicity - Sedimentation	The substance has low mobility in sediment.
12.1.5 Toxicity - Terrestrial Compartment	Low toxicity under normal conditions of handling and use.
12.2. Persistence and Degradation	Not known.
12.3. Bioaccumulative potential	Not known.
12.4. Mobility in soil	Not known.
12.5. Results of PBT and vPvB assessment	Not known.
12.6 Other adverse effects	Not known.

13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods	Dispose of contents in accordance with local, state or national legislation. Recycle only completely emptied packaging. Containers must not be punctured or destroyed by burning, even when empty. Do not allow to enter drains, sewers or watercourses. Do NOT landfill. Normal disposal is via incineration operated by an accredited disposal contractor. Send to a licensed recycler, reclaimer or incinerator. Dispose of this material and its container to hazardous or special waste collection point.
13.2 Additional Information	Disposal should be in accordance with local, state or national legislation.

14. SECTION 14: TRANSPORT INFORMATION

14.1 UN number

UN No. 1133

14.2 UN proper shipping name

UN proper shipping name ADHESIVES containing flammable liquid

14.3 Transport hazard class(es)

ADR/RID Class	3
IMDG Class	3
IMDG EMS	Not available
ICAO/IATA	
Excepted Quantities	E1
Passenger and Cargo Aircraft Limited Quantities Packing Instructions	Y344

Safety Data Sheet
5050 BLACK

Passenger and Cargo Aircraft Limited Quantities Max net Qty	10L
Passenger and Cargo Aircraft Max net Qty	355
Passenger and Cargo Aircraft Max net Qty	60L
Cargo Aircraft Packing Instructions	366
Cargo Aircraft Max net Qty	220L
Special Provisions	A3
Emergency Response Guidebook (ERG) Code	3L
ADR Classification Code	F1
ADR HIN	30
ADR Transport Category	3
Tunnel Restriction Code	D/E
Emergency Action Code	•3Y
APP Advice on Additional Personal Protection (APP)	Not applicable

14.4 Packing group

Packing group	III
Labels	3



Special Provisions	640E
Limited Quantities	5 L
Excepted Quantities	E1
Mixed Packing Instructions for Packages	P001 IBC03 LP01 R001
Special Packing Provisions for Packages	PP1
Mixed Packing Instructions for Packages	MP19

14.5 Environmental hazards

Environmental hazards	Not known.
-----------------------	------------

14.6 Special precautions for user

Special precautions for user	Not known.
------------------------------	------------

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Packing Instructions for Portable Tanks	
Special Provisions for Portable Tanks	TP1
Tank Code for Tanks	LGBF
Special Provisions for Tanks	Not applicable

Safety Data Sheet
5050 BLACK

Vehicle for Tank Carriage FL
Special Provisions for Carriage - V12
Packages
Special Provisions for Carriage - Not applicable
Bulk
Special Provisions for Carriage - Not applicable
Loading, Unloading and
Handling
Special Provisions for Carriage - S2
Operation

15. SECTION 15: REGULATORY INFORMATION

15.1 European Regulations

Authorisations and/or Restrictions On Use

Candidate List of Substances of Very High Concern for Authorisation All chemicals are not listed

REACH: ANNEX XIV list of substances subject to authorisation All chemicals are not listed

REACH: ANNEX XVII restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles Not Listed

Community Rolling Action Plan (CoRAP) Not Listed

Regulation (EC) N° 850/2004 of the European Parliament and of the Council on persistent organic pollutants Not listed

Regulation (EC) N° 2037/2000 on substances that deplete the ozone layer Not listed

Regulation (EU) N° 649/2012 of the European Parliament and of the Council concerning the export and import of hazardous chemicals Not listed

15.2 National regulations

Other Not known.

16. SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements:

Hazard Pictogram(s)



GHS02

GHS07

Safety Data Sheet
5050 BLACK

Signal Word(s)	Danger
Hazard Statement(s)	H225: Highly flammable liquid and vapour. H319: Causes serious eye irritation. H336: May cause drowsiness or dizziness.
Precautionary Statement(s)	P201: Obtain special instructions before use. P202: Do not handle until all safety precautions have been read and understood. P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233: Keep container tightly closed. P240: Ground/bond container and receiving equipment. P241: Use explosion-proof electrical/ventilating/lighting/equipment. P242: Use only non-sparking tools. P243: Take precautionary measures against static discharge. P261: Avoid breathing dust/fume/gas/mist/vapours/spray. P264: Wash hands and exposed skin thoroughly after handling. P271: Use only outdoors or in a well-ventilated area. P280: Wear protective gloves/protective clothing/eye protection/face protection. P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308+P313: IF exposed or concerned: Get medical advice/attention. P312: Call a POISON CENTER/doctor if you feel unwell. P337+P313: If eye irritation persists: Get medical advice/attention. P370+P378: In case of fire: Use water to extinguish. P403+P233: Store in a well-ventilated place. Keep container tightly closed. P403+P235: Store in a well-ventilated place. Keep cool. P405: Store locked up. P501: Dispose of contents in accordance with local, state or national legislation.
Disclaimers	Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Anglo Adhesives & Services Ltd. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Anglo Adhesives & Services Ltd. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.